

LAS-8 STATIONARY ACOUSTICAL LOUVER

FORMED STEEL

3900 Dr. Greaves Rd., Kansas City, MO 64030 • Phone (816) 761-7476 • FAX (816) 763-0986 • Email: info@ruskinsound.com • Website: ruskinsound.com

STANDARD CONSTRUCTION

FRAME

8" (203) deep, 16 gage (1.6) galvanized steel channel.

BLADES

18 gage (1.3) galvanized steel exterior surface, with 22 gage (.9) perforated steel interior surface that covers insulation. Blades positioned at 45° angle and spaced approximately 8" (203) center to center.

ACOUSTICAL INSULATION

Mineral glass fiber, 4 pcf.

Mineral Glass Fiber fire ratings when tested in accordance with ASTM E84, NFPA 255 or UL-723 test methods:

Flame Spread1	5
Fuel Contributed	0
Smoke Developed	0

SCREEN

1/2" mesh x 19 gage (13 x 1.1) galvanized bird screen in removable frame. Screen adds approximately 1/2" (13) to louver depth.

FINISH

Mill.

MINIMUM SIZE

12"w x 18"h (305 x 457).


APPROXIMATE SHIPPING WEIGHT


9 lbs. per sq. ft.

MAXIMUM FACTORY ASSEMBLY SIZE

Shall be 32 sq. ft. (3m²). Maximum single section size shall be 48" x 96" (1219 x 2438). Louvers larger than the maximum single section size will require field assembly of smaller sections.

FRAME CONSTRUCTION





FEATURES

The LAS-8 offers insulated blades which provide effective sound attenuation and weather protection with an architecturally pleasing appearance.

VARIATIONS

Variations to the basic design of this louver are available at additional cost. They include:

- · Extended sill.
- · Front or rear security bars.
- · Filter racks.

Bird

Screen

- · A variety of bird and insect screens.
- Selection of finishes: baked enamel (modified fluoropolymer), epoxy, Kynar, Pearledize, prime coat, integral color and clear anodize. (Some variation in anodize color consistency is possible.) (Anodize finish available only on aluminum construction.)
- Formed aluminum frame with .100" (2.5) nominal wall thickness and .080" (2) blade with .040" (1) perforated aluminum interior surface.

Octave Band Frequency (Hz)	Free Field Noise Reduction (db) Ruskatherm Blanket
2/125	13
3/250	12
4/500	15
5/1000	22
6/2000	21
7/4000	21
8/8000	23

To calculate Transmission Loss (db), subtract 6 db from Free Field Noise Reduction (db).

Dimensions in parenthesis () indicate millimeters.

Units furnished 1/4" (6) smaller than given opening dimensions.

TAG	QTY.	SIZ	ΣE	FRAME	VARIATIONS				
		A"-WIDE	B"-HIGH						
PROJE					LOCATION				
ARCH./ENGR.					CONTRACTOR				

8'

(203)

REPRESENTATIVE

DATE

SUGGESTED SPECIFICATION

Furnish and install louvers as hereinafter specified where shown on plans or as described in schedules. Louvers shall be stationary accoustical type contained within a 8" (203) frame. Louver components (heads, jambs, sills, blades, and mullions) shall be factory assembled by the louver manufacturer. Louver sizes too large for shipping shall be built up by the contractor from factory assembled louver sections to provide overall sizes required. Louver design shall incorporate structural supports required to withstand a windload of 20 lbs. per sq. ft. (.96kPa) (equivalent of a 90 mph wind [145 KPH] - specifier may substitute any loading required).

Louvers tested for air and water performance to AMCA 500 test standard.

Louvers shall be Ruskin Sound Control Model LAS-8 construction as follows:

Frame: 16 gage (1.6) galvanized steel channel.

Blades: 20 gage (1.0) galvanized steel exterior surface, 22 gage (.9) perforated steel interior surface that covers insula-

tion. Blade angle 45° on 8" (203) centers.

Screen: 1/2" mesh x 19 gage (13 x 1.1) galvanized steel in remov-

able frame.

Finish: Select finish specification from Ruskin Finishes

Brochure.

Published louver performance data bearing the AMCA Certified Ratings Seal for Air Performance must be submitted for approval prior to fabrication and must demonstrate pressure drop equal to or less than the Ruskin Sound Control model specified.


PERFORMANCE DATA

AMCA Standard 500 provides a reasonable basis for testing and rating louvers. Testing to AMCA 500 is performed under a certain set of laboratory conditions. This does not guarantee that other conditions will not occur in the actual environment where louvers must operate.

The louver system should be designed with a reasonable safety factor for louver performance. To ensure protection from water carryover, design with a performance level somewhat below maximum desired pressure drop and .01 oz./sq. ft. of water penetration.

WATER PENETRATION

Test size 48" wide x 48" high (1219 x 1219)
Beginning point of water penetration at .01 oz./sq. ft. is 838 fpm (255 m/min).



Free Area Velocity in feet (meters) per minute Standard air .075 lb/ft³ (1.2 kg/m³)

FREE AREA GUIDE

Free Area Guide shows free area in ft² and m² for various sizes of LAS-8.


Width – Inches and Meters

	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96
	0.30	0.46	0.61	0.76	0.91	1.07	1.22	1.37	1.52	1.68	1.83	1.98	2.13	2.29	2.44
18	0.24	0.40	0.56	0.72	0.88	1.04	1.20	1.36	1.52	1.68	1.84	2.00	2.16	2.32	2.48
0.46	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.03	0.04	0.04	0.05	0.05	0.05	0.06	0.06
24	0.34	0.57	0.80	1.03	1.26	1.49	1.72	1.95	2.18	2.41	2.64	2.87	3.10	3.33	3.56
0.61	0.01	0.01	0.02	0.03	0.03	0.04	0.04	0.05	0.06	0.06	0.07	0.07	0.08	0.08	0.09
30	0.45	0.75	1.05	1.35	1.65	1.95	2.25	2.55	2.85	3.14	3.44	3.74	4.04	4.34	4.64
0.76	0.01	0.02	0.03	0.03	0.04	0.05	0.06	0.06	0.07	0.08	0.09	0.10	0.10	0.11	0.12
36	0.55	0.92	1.29	1.66	2.03	2.40	2.77	3.14	3.51	3.88	4.24	4.61	4.98	5.35	5.72
0.91	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09	0.10	0.11	0.12	0.13	0.14	0.15
42	0.76	1.26	1.76	2.27	2.77	3.28	3.78	4.28	4.79	5.29	5.80	6.30	6.80	7.31	7.81
1.07	0.02	0.03	0.04	0.06	0.07	0.08	0.10	0.11	0.12	0.13	0.15	0.16	0.17	0.19	0.20
48	0.86	1.43	2.01	2.58	3.16	3.73	4.30	4.88	5.45	6.02	6.60	7.17	7.74	8.32	8.89
1.22	0.02	0.04	0.05	0.07	0.08	0.09	0.11	0.12	0.14	0.15	0.17	0.18	0.20	0.21	0.23
54	0.96	1.61	2.25	2.89	3.54	4.18	4.82	5.47	6.11	6.75	7.40	8.04	8.68	9.33	9.97
1.37	0.02	0.04	0.06	0.07	0.09	0.11	0.12	0.14	0.16	0.17	0.19	0.20	0.22	0.24	0.25
60	1.07	1.78	2.49	3.21	3.92	4.63	5.35	6.06	6.77	7.48	8.20	8.91	9.62	10.34	11.05
1.52	0.03	0.05	0.06	0.08	0.10	0.12	0.14	0.15	0.17	0.19	0.21	0.23	0.24	0.26	0.28
66	1.27	2.12	2.97	3.82	4.66	5.51	6.36	7.21	8.05	8.90	9.75	10.60	11.45		13.14
1.68	0.03	0.05	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.23	0.25	0.27	0.29	0.31	0.33
72	1.38	2.29	3.21	4.13	5.05	5.96	6.88	7.80	8.72	9.63	10.55	11.47	12.38	13.30	14.22
1.83	0.03	0.06	0.08	0.10	0.13	0.15	0.17	0.20	0.22	0.24	0.27	0.29	0.31	0.34	0.36
78	1.48	2.47	3.45	4.44	5.43	6.42	7.40	8.39	9.38	10.36	11.35	12.34	13.32	14.31	15.30
1.98	0.04	0.06	0.09	0.11	0.14	0.16	0.19	0.21	0.24	0.26	0.29	0.31	0.34	0.36	0.39
84	1.58	2.64	3.70	4.75	5.81	6.87	7.92	8.98		11.09	12.15		14.26		16.38
2.13	0.04	0.07	0.09	0.12	0.15	0.17	0.20	0.23	0.25	0.28	0.31	0.34	0.36	0.39	0.42
90	1.79	2.98	4.17	5.36	6.55	7.75	8.94	10.13		12.51	13.70				18.47
2.29	0.05	0.08	0.11	0.14	0.17	0.20	0.23	0.26	0.29	0.32	0.35	0.38	0.41	0.44	0.47
96	1.89	3.15	4.41	5.68	6.94	8.20	9.46		11.98		14.50		17.03		19.55
2.44	0.05	0.08	0.11	0.14	0.18	0.21	0.24	0.27	0.30	0.34	0.37	0.40	0.43	0.46	0.50



Ruskin Sound Control certifies that the louver shown herein is licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Standard 511 and comply with the requirements of the AMCA Certified Ratings Program. AMCA Certified Ratings Seal applies to air performance ratings and water penetration ratings only.

PRESSURE DROP



Air Velocity in feet (meters) per minute through Free Area

Ratings do not include the effect of a bird screen.

Masonry **Metal Panel** Wall Wall Corrugated Metal CMU Drip Cap Louver Insulation Louver Extended Extended SIII Wood **SoundChek Panel Wall** Installation 4" SoundChek **Acoustical Panel** #10 Tek Screws 16 Ga. Z-Flashing (Typical) Typical Top & Sides **Cover Plate** Acoustical 2 x 4 Sealer Wood **Blocking** Louver Louver -Sheathing 10 Ga. Z-Flashing Siding

Variations (such as extended sills, installation hardware, etc.) available at additional cost.

