



3900 Dr. Greaves Rd.

Kansas City, MO 64030

(816) 761-7476

FAX (816) 765-8955

EVT-046 CHILLED WATER COIL TOTAL UNIT COOLING CAPACITY EVT-046

Table with columns: AIR VOLUME (cfm), OA CONDITIONS (DB, RH, WB), RA CONDITIONS (DB, WB), EFFECTIVENESS (LATENT, SENS), AIR-LVG WHL / ENT DXC (DB, WB), COOLING CAP--ENTHALPY WHEEL (SENS, LATENT, TOTAL, S/T), PERFORMANCE RATINGS - CHILLED WATER COIL (FLUID DATA: FR, VEL, PR DROP, LVG TEMP; LVG AIR TEMP: DB, WB; COOLING CAP--CW COIL: TOTAL, SENS, S/T), and UNIT PERFORMANCE (COMBINED COOLING CAP: TOTAL, SENS, S/T).

NOTES: 1. Entering water temperature is 45°F. 2. Coil face area is 11.25 sq. ft. 3. All data based on balanced system (Exhaust cfm = Supply cfm).



3900 Dr. Greaves Rd.

Kansas City, MO 64030

(816) 761-7476

FAX (816) 765-8955

EVT-062

CHILLED WATER COIL TOTAL UNIT COOLING CAPACITY

EVT-062

Table with columns: AIR VOLUME (cfm), OA CONDITIONS (DB, RH, WB), RA CONDITIONS (DB, WB), EFFECTIVENESS (LATENT, SENS), AIR-LVG WHL / ENT DXC (DB, WB), COOLING CAP--ENTHALPY WHEEL (SENS, LATENT, TOTAL, S/T), PERFORMANCE RATINGS - CHILLED WATER COIL (FLUID DATA, LVG AIR TEMP, COOLING CAP--CW COIL), UNIT PERFORMANCE (COMBINED COOLING CAP).

NOTES: 1. Entering water temperature is 45°F. 2. Coil face area is 11.25 sq. ft. 3. All data based on balanced system (Exhaust cfm = Supply cfm).

ALL STATED SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE OR OBLIGATION.

©Ruskin 2010

Printed on recycled paper using vegetable based inks

