




RUSKIN®


COMBINATION LOUVERS

COMBINATION LOUVERS




ELC6375DAX


COMPONENT DETAILS




HEAD



BLADE



JAMB



SILL



3900 Dr. Greaves Rd. Kansas City, MO 64030 • (816) 761-7476 • F: (816) 765-8955 • ruskin@ruskin.com • www.ruskin.com

COMBINATION LOUVERS




- 45° BLADE ANGLE
- 4" FRAME DEPTH
- 39% FREE AREA
- CONCEALED LINKAGE
- LOW WATER PENETRATION



ELC445D
COMBINATION LOUVER

The ELC445D Combination Louver has a 4" deep frame, drainable blades, 39% free area, and aluminum construction for low maintenance and high corrosion resistance.




- OPERABLE BLADES
- 4" FRAME DEPTH
- 40% FREE AREA
- LOW MAINTENANCE
- INTAKE COMBO with DAMPER



ELBD812
COMBINATION LOUVER

The ELBD812 Combination Louver has a 4" deep frame, operable blades, 40% free area, and constructed for low maintenance and resistance to corrosion.




- ALUMINUM BUILD
- 4" FRAME DEPTH
- 40% FREE AREA
- LOW MAINTENANCE
- EXHAUST COMBO with DAMPER



ELBD813
COMBINATION LOUVER

The ELBD813 Combination Louver has a 4" deep frame, operable blades, 40% free area, and aluminum construction for low maintenance and high resistance to corrosion.



- DRAINABLE
- 6" FRAME DEPTH
- 47% FREE AREA
- ADJUSTABLE
- CONCEALED BLADE LINKAGE



ELC6375DAX
COMBINATION LOUVER

The ELC6375DAX Louver has a 6" deep frame, AMCA listed for 511, 47% free area, and architecturally styled hidden mullions allowing continuous line appearance up to 120".




- DRAINABLE
- 6" FRAME DEPTH
- 47% FREE AREA
- ADJUSTABLE
- CONCEALED BLADE LINKAGE



ELC6375DXD
MIAMI-DADE APPROVED
COMBINATION LOUVER

The ELC6375DXD Combination Louver has a 6" deep frame, 47% free area, adjustable rear blades, and architecturally styled hidden mullions.



- SEALS TIGHTLY
- 6" FRAME DEPTH
- FORMED STEEL
- DRAINABLE
- COMBINATION ADJUSTABLE



LC6375D
COMBINATION LOUVER

The LC6375D Combination Louver has a 6" deep frame, architecturally styled hidden mullions, adjustable rear blades, and tight shut off air intake and exhaust applications.

COMBINATION LOUVERS

Combination louvers act as a louver/damper combination. They utilize fixed louver blades in the front and adjustable blades in the rear that can be opened or closed. These louvers are popular for warehouse applications and other structures in which you want to close the airflow without the use of a damper. The operable blades are opened and closed manually, or with the use of an actuator. Combination louvers can incorporate both drainable and non-drainable blades which are selected based on the structure's performance needs.



MODEL	MIN. DIM.	MAX. DIM.	DEPTH	BLADE ANGLE	BLADE STYLE	BLADE ORIENTATION	FREE AREA	AMCA CERTIFICATION		AMCA 540/550	MIAMI-DADE/ FBC/TDI APPD.
								AIR PERF.	WATER PENETRATION		
ELBD375E	12" x 12"	UNLIMITED	6"	45°	DRAINABLE	HORIZONTAL	45%	–	–	–	–
ELBD375I	12" x 12"	UNLIMITED	9"	45°	NON-DRAINABLE	HORIZONTAL	40%	–	–	–	–
ELBD812	12" x 12"	UNLIMITED	4"	45°	NON-DRAINABLE	HORIZONTAL	40%	–	–	–	–
ELBD813	12" x 12"	UNLIMITED	4"	45°	NON-DRAINABLE	HORIZONTAL	40%	–	–	–	–
ELC445D	12" x 12"	UNLIMITED	4"	45°	DRAINABLE	HORIZONTAL	39%	✓	✓	–	–
ELC6375DAX	12" x 12"	UNLIMITED	6"	45°	DRAINABLE	HORIZONTAL	47%	✓	✓	–	–
ELC6375DXD	12" x 12"	UNLIMITED	6"	45°	DRAINABLE	HORIZONTAL	44%	✓	✓	550	MIAMI-DADE/ FBC/TDI
ELC6375DXW	12" x 12"	UNLIMITED	6"	45°	DRAINABLE	HORIZONTAL	47%	✓	✓	–	–
LC6375D	12" x 12"	UNLIMITED	6"	37½°	DRAINABLE	HORIZONTAL	40%	✓	✓	–	–

*For the most current catalog information please visit www.ruskin.com, or use the Ruskin® Online Louver Selection Tool.

RUSKIN® LOUVER COLORS



*We can match any color!

*NO LOUVER SHAPES AVAILABLE